





PRODUCT DESCRIPTION

Grey Tedlar® is a specially coated polyvinyl floride (PVF) used as a moisture barrier for the aerospace industry. It meets the requirements of BMS8-385 Grade 1 Type 4 when laminated to Soundfoam ML G+ foam.

TYPICAL APPLICATIONS

- Launch vehicles, satellites, engine power systems, planes, and helicopters
- ECS ductwork

PRODUCT CONFIGURATIONS

- Compatible products:
 - Soundfoam ML G+
 - Soundfoam ML HY G+

MARKETS



PHYSICAL PROPERTIES

Material Type	PVF (polyvinyl floride)
Colors	Grey
Thickness	0.001"
Film Weight	<1.4 oz/yd²
Operating Temperature	-43°C (-45°F) to 200°C (392°F)
Moisture Permeance	< 1.5 perms
Chemical Resistance	Excellent
Tensile Strength	9000 PSI (min. avg.)
Elongation	90% (min. avg.)
Flame Resistance ⁽¹⁾	FAR 25.856(a) ⁽¹⁾ FAR 25.853

THE SOUNDCOAT PROMISE

We have one goal: to enhance the customer experience by providing world-class products manufactured under ISO 9001:2015 and AS9100:2016 standards in one of our modern manufacturing facilities strategically located on each coast.

All materials are tested and qualified in our acoustics and materials testing laboratory to ensure consistent quality and performance.

Soundcoat products are supplied, tested, and produced to your specifications.

Visit soundcoat.com to see our complete line of absorption, barrier, damping, sealing, and thermal materials.

For further information on meeting specific requirements and for optimum product configuration, contact our Technical Support Department at 1-800-394-8913.

The information contained herein is based on laboratory test data developed by or for Soundcoat and is believed to be reliable, but its accuracy or completeness is not quaranteed. The buyer must test this product to determine its suitability for his/her specific application before use. Only use a Soundcoat product after thoroughly consulting instructions on the data sheet for the specific product. SOUNDCOAT DISCLAIMS ANY RESPONSIBILITY FOR 1) WARRANTIES OF FITNESS AND PURPOSE, 2) VERBAL RECOMMENDATIONS, 3) CONSEQUENTIAL DAMAGES FROM USE, AND 4) VIOLATION OF ANY PATENTS OR TRADEMARKS HELD BY OTHERS.

Kapton®, Nomex® and Tedlar® are registered trade names of Dupont Corporation.

Rev. date 10/3/2025

⁽¹⁾ Consult Soundcoat for specific data on composites as not all combinations of materials or foam thicknesses have been tested for fire resistance.